


CAST IRON STOVES & FIREPLACES

WOODBURNING • MULTI-FUEL • GAS • ELECTRIC



Fire with Character







The Dovre Range...

Traditional Wood & Multi-fuel Stoves

Pages 08 - 13



Dovre 250

Contemporary Wood & Multi-fuel Stoves

Pages 14 - 25



Dovre Sense 203

Traditional Gas Stoves

Pages 26 - 27



Dovre 425 Gas

Traditional Electric Stoves

Pages 28 - 29



Dovre 425 Electric



Beautifully Reliable

Each of our stoves and fires begins its life in our foundry. Firing at up to 1500°C, furnaces melt down the raw materials to make high quality cast iron for our products.

Moulded with absolute precision for strength and longevity, the cast iron used in Dovre products has excellent durability and thermal qualities. Radiating heat long after the fire has died, our cast iron stoves and fires retain their shape even after years of use.

Thanks to its versatile nature, cast iron can be crafted into a huge variety of shapes and textures, bringing beauty and presence to your interior whether traditional or contemporary.

Whatever your choice - wood, multi-fuel, gas or electric - your cast iron Dovre stove or fireplace will be built to the uncompromising standards you would expect from our Scandinavian heritage.



Cleanburn & Airwash Systems

Over the decades, Dovre products have been continuously developed to meet the toughest UK & European safety, efficiency, and emission standards. Today, many of our woodburning and multi-fuel stoves, as well as some of our fires, feature our cutting-edge Cleanburn and Airwash systems. This advanced combustion technology minimises environmental impact whilst delivering superb flame visuals with outstanding thermal efficiency.



High Efficiency

All solid-fuel models in this brochure burn wood or multi-fuel with outstanding efficiency, and are rated as either A or A+ energy class appliances according to European energy labelling standards. For more information on individual energy classes, see each appliance's product page.



Urban Area Approved

Our eco-focused approach to stove and fire design means that many models in this brochure are suitable for burning wood in urban areas. Independently tested, 250, Vintage and Sense models are all exempt from DEFRA smoke control restrictions in towns and cities*.



External Air Supply

Many stoves in this brochure can be installed with an external air supply meaning they do not need to draw any air from the room. This potentially negates the need for an additional air vent, therefore minimising drafts.



Ecodesign Plus

All Dovre wood and multi-fuel stoves burn so cleanly, they meet Ecodesign air quality standards. These low emission products produce minimal levels of carbon monoxide (CO), nitrogen oxide (NOx) organic gaseous compounds (OGCs) and particulates (PMs).




See our stoves being built

Watch our short film to see the typical journey of a Dovre stove, from the molten metal to the finished article:

dovre.co.uk/about-us

*250, Vintage & Sense stoves are approved when fitted with a Smoke Control Kit.







The dovre difference...

Wood and Multi-fuel Stoves and Fires

Wood – When wood is burnt the amount of carbon dioxide released into the atmosphere is approximately the same as that absorbed by the tree during growth. Wood is also a renewable resource, particularly when derived from plantations and cultivated woodland. For optimum results, we recommend logs should be seasoned for 2 years or more to achieve a moisture content below 20%. This will not only give up to twice the output of freshly felled timber but help avoid a build-up of tar in your flue. Hardwood logs are better still, as they will have around twice the calorific value of softwoods of equivalent weight.

Solid fuels – anthracite and manufactured smokeless fuels can be burnt on multi-fuel models which feature a fixed or riddling grate. Please note, however, that bituminous coal or petroleum based fuels must never be used on your stove.

Encouraging Sustainable Woodland – Stovax (Dovre's distributor in the UK and Republic of Ireland) is working with Certainly Wood, our recommended Woodsure "Ready to Burn" fuel supplier.



When you register your new Dovre stove, the Stovax Heating Group and Certainly Wood will jointly fund the planting of a tree. For more information, see page 35. Our goal is to plant up to 10,000 new trees each year to make a tangible contribution to sustainable woodland creation.





Gas Stoves

All Dovre gas stoves are available with natural gas or LPG and depending on model, feature a highly realistic log effect fire. These high efficiency stoves are available as manual operation but have the option to upgrade to either a standard remote, allowing heat regulation once the pilot light has been lit manually, or a programmable remote with additional thermostatic and timer controls.

Electric Stoves

A Dovre electric stove can be as easy to install as plugging in and switching on! All models feature our Chromalight® technology with low energy LED illumination and a choice of fuel effects. The heater is discreetly located underneath and a remote control allows you to adjust the heat in addition to the Chromalight® effects which can run without any heat at all.



Expert Retailer Network & Warranty Information

Dovre products are only available from Expert Independent Retailers who will ensure your stove or fire is both appropriate for your home and fitted correctly. Your Dovre retailer will provide you with a Five Year Warranty for your new stove's castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. For more information, see page 34.





250

Multi-Fuel Stove



- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Plus
- Approved for Smoke Control Areas*
- Colour matched enamel flue pipe also available
- Nominal heat output: 4.9kW
- Heat output range: 2 7kW
- High efficiency: up to 77%
- Top or rear flue exit
- Flue diameter: 125mm
- Maximum log length: 33cm
- Weight: 79kg
- Efficiency Class: A+



*When fitted with a Smoke Control Kit

PRODUCT CODES

DV-250 Matt Black multi-fuel with riddling grate and Airwash system DV-250IWH Ivory White enamel multi-fuel with riddling grate and Airwash system

ACCESSORIES

Smoke control kit DV250SCKIT

FINISHES





Ivory White Matt Black

Also see image on back cover.



HIGH EFFICIENCY







425



Multi-Fuel Stove

KEY DETAILS

- All cast iron construction
- Multi-fuel
- Airwash systems
- Ecodesign Plus
- Colour matched enamel flue pipe also available
- Nominal heat output: 8kW
- Heat output range: 2.7 10kW
- High efficiency: up to 83%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 40cm
- Weight: 130kg
- Gas and Electric versions also available, see pages 26 and 29
- Efficiency Class: A+



PRODUCT CODES

DV-425 Matt Black multi-fuel with riddling grate and Airwash system DV-425IWH Ivory White enamel multi-fuel with riddling grate and Airwash system

FINISHES





Traditional Matt Black

Ivory White enamel





640WD & 760WD





Woodburning Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash systems
- Ecodesign Plus
- Side door for loading
- Nominal heat output: 640WD: 9kW, 760WD: 11kW
- Heat output range: **640WD:** 3 11kW, **760WD:** 3.7 13kW
- High efficiency: 640WD: up to 80%, 760WD: up to 80.2%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 640WD: 50cm, 760WD: 60cm
- Weight: 640WD: 158kg, 760WD: 180kg
- Efficiency Class: A+

PRODUCT CODES

DV-640WD Matt Black woodburner with Cleanburn and Airwash DV-760WD Matt Black woodburner with Cleanburn and Airwash

FINISHES















SENSE 103 & 203



Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Choice of three finishes**
- Top or rear flue exit
- Short Leg models available (see pages 16 & 17)**
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 105kg 125kg
- Efficiency Class: A



* When fitted with a Smoke Control Kit

PRODUCT CODES

DV-SENSE103 DV-SENSE103PW DV-SENSE103GY DV-SENSE203

Sense 103 with side windows, legs, Cleanburn and Airwash - Matt Black Sense 103 with side windows, legs, Cleanburn and Airwash - Pure White enamel Sense 103 with side windows, legs, Cleanburn and Airwash - Grey enamel † Sense 203 box mounted, with side windows, Cleanburn and Airwash -Matt Black

ACCESSORIES

DV-SENSESZKIT Smoke Control Area Kit DV-HS-SENSE Heat Shield Kit (see page 32)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES







Matt Black Grev enamel**† Pure White enamel**

Also see image on front cover and page 7.









^{**} Sense 103 only

[†] Whilst Stocks Last





SENSE 113



Wood Stove

KEY DETAILS

- All cast iron construction
- Woodburning
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 4.9kW
- Heat output range: 2.3 7kW
- High efficiency: up to 79.5%
- Approved for Smoke Control Areas*
- External Air Supply
- Unique, user-friendly opening system
- Easy to operate single air slide control
- Long Leg models available (see page 15)
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: 100kg
- Efficiency Class:



^{*} When fitted with a Smoke Control Kit

PRODUCT CODES

DV-SENSE113 Sense 113 with short legs, side windows, Cleanburn and Airwash -

Matt Black

DV-SENSE113PW Sense 113 with short legs, side windows, Cleanburn and Airwash -

Pure White enamel

ACCESSORIES

DV-SENSESZKIT Smoke Control Area Kit

DV-HS-SENSE Heat Shield Kit (see page 32)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES





Matt Black Pure White enamel













VINTAGE 35 & 50



Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Plus
- Approved for Smoke Control Areas*
- Nominal heat output: 35: 7kW, 50: 9kW
- Heat output range: 35: 2.3 9kW, 50: 3 11kW
- High efficiency: **35:** up to 83%, **50:** up to 84%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: **35**: 35cm, **50**: 50cm
- Weight: **35**: 125kg, **50**: 155kg
- Efficiency Class: A+



* When fitted with a Smoke Control Kit

PRODUCT CODES

DV-VIN35 Matt Black woodburner with Cleanburn and Airwash DV-VIN35PW Pure White enamel woodburner with Cleanburn and Airwash DV-VIN50 Matt Black woodburner with Cleanburn and Airwash DV-VIN50PW Pure White enamel woodburner with Cleanburn and Airwash

ACCESSORIES

DV-VINSCKIT Smoke Control Kit

FINISHES





Pure White

Also see image on back cover.











BOLD 300 & 400





Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 7kW
- Heat output range: 2.3 9 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 35cm
- Weight: 300: 130kg, 400: 145kg
- Efficiency Class: A+



PRODUCT CODES

DV-BOLD300 Bold 300, Matt Black on legs DV-BOLD300PW Bold 300, Pure White enamel on legs DV-BOLD300GY Bold 300, Grey enamel on legs[†] DV-BOLD400 Bold 400, Matt Black DV-BOLD400GY Bold 400, Grey enamel[†]

FINISHES









enamel**

Also see image on back cover.







^{**} Bold 300 only

[†] Whilst Stocks Last







ROCK 350 & 500



Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Airwash and Cleanburn systems
- Ecodesign Plus
- Nominal heat output: 350: 7kW, 500: 9kW
- Heat output range: **350**: 2.3 9 kW, **500**: 3 11 kW
- High efficiency: up to 80%
- External Air Supply
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: **350**: 35cm, **500**: 50cm
- Weight: 350: 110 125kg, 500: 130kg
- Efficiency Class: A+



PRODUCT CODES

DV-ROCK350TB DV-ROCK350WB DV-ROCK500TB DV-ROCK500WB

Rock 350 with tablet stand. Matt Black Rock 350 with wood box, Matt Black DV-ROCK350TBGY Rock 350 with tablet stand, Grey Enamel[†] Rock 500 with tablet stand, Matt Black Rock 500 with wood box, Matt Black DV-ROCK500WBGY Rock 500 with wood box, Grey Enamel[†]

FINISHES





Matt

† Whilst Stocks Last









ASTROLINE 3 & 4



Wood Stoves

KEY DETAILS

- All cast iron construction
- Woodburner
- Cleanburn and Airwash system
- Ecodesign Plus
- External Air Supply
- Nominal heat output: 8kW
- Heat output range: 2.5 10kW
- High efficiency: up to 75%
- Top or rear flue exit
- Flue diameter: 150mm
- Maximum log length: 33cm
- Weight: **3:** 158kg 171kg, **4:** 168kg 181kg
- Efficiency Class: A



PRODUCT CODES

DV-ASTRO3CB/P Matt Black woodburner with pedestal base, Cleanburn

and external combustion air connection

DV-ASTRO4CB/P Matt Black coloured woodburner with pedestal base, Cleanburn and external air connection

ACCESSORIES

DV-HSF3.2 Heat shield (see page 32)* DV-HSF4.1 Heat shield (see page 32)*

*The optional heat shield can be used to reduce the minimum distance to combustible materials by up to half. Please refer to the instruction manual for further details.

FINISHES



Matt Black

Also see image on back cover.











280 & 425



Gas Stoves

KEY DETAILS

- All cast iron construction
- Balanced and Conventional flue with realistic log-effect fire
- Optional remote controls
- High Efficiency: see table
- Max. heat output: see table
- Ignition system requires no electricity supply
- LPG and Natural Gas versions available
- Automatic safety shutdown in the event of pilot light failure or flue blockage
- Top or rear flue exit: 125mm (CF) / 152mm (BF)
- Weight: see table
- Multi-fuel** & Electric versions also available

PRODUCT CODES	FLUE TYPE	GAS TYPE	FUEL EFFECT	ENERGY INPUT	HEAT OUTPUT	EFFICIENCY	EFFICIENCY CLASS	WEIGHT
280 GAS STOVE								
DV541-010	CF	NG	LOGS	4.55KW	3.1KW	75%	Е	50KG
DV541-409	CF	LPG	LOGS	4.35KW	3.0KW	75%	Е	50KG
DV541-148	BF	NG	LOGS	4.3KW	3.7KW	95.4%*	A*	54.4KG
DV541-503	BF	LPG	LOGS	4.3KW	3.8KW	95.4%*	A*	54.4KG
425 GAS ST	OVE							
DV541-124	CF	NG	LOGS	6.6KW	4.6KW	78%	Е	74KG
DV541-447	CF	LPG	LOGS	6.7KW	4.8KW	78%	Е	74KG
DV541-138	BF	NG	LOGS	6.6KW	5.4KW	90.8%*	B*	81.5KG
DV541-461	BF	LPG	LOGS	6.6KW	5.5KW	90.8%*	B*	81.5KG

^{*}When used with Programmable Thermostatic Remote Control

OPTIONAL REMOTE CONTROLS



8455: Standard (Left)

Programmable (Right)

Once the pilot has been ignited manually, the Standard remote control allows you to vary the flame height and heat output from your armchair. The Programmable version also enables you to set the stove to switch itself on and off twice a day, to the temperature you select, so that you can wake up or come

home to a cosy room and glowing fire.

FINISHES



Matt Black

^{**} Multi-fuel available with 425 only

CF = Conventional Flue / BF = Balanced Flue







280 & 425

Electric Stoves

KEY DETAILS

- All cast iron construction
- Interchangeable fuel-effects including Logeffect & Crystal Ice
- Chromalight® Immersive LED systems
- 14 Different fuel bed lighting settings
- Three different flame options: Amber, Blue, Amber with Blue Accent
- Flames and fuel effect lighting can be enjoyed without the heat
- 1–2kW thermostatically controlled fan heater
- Thermostatic Eco remote control for ambient heating and flame and lighting settings
- Open window detection efficiency feature
- Compliant with Ecodesign energy product standards
- Requires no flue, hearth or chimney
- Weight: 280: 50kg, 425: 74kg
- Multi-fuel** & Gas versions also available

PRODUCT CODES

DV641-872 Electric Dovre 280, Matt Black
DV641-904 Electric Dovre 425, Matt Black

FINISHES



Traditional Matt Black



Programmable Thermostatic Eco Remote Control






Realistic log effect fuel bed and flame effect


^{**} Multi-fuel available with 425 only

Dimensions


Page 8/9 - 250 Multi-Fuel Stoves




Page 10/11 - 425 Multi-Fuel Stoves




Page 12/13 - 640WD & 760WD Wood Stoves




Page 14/15 - Sense 103 Wood Stoves



Page 14/15 - Sense 203 Wood Stoves




Page 16/17 - Sense 113 Wood Stoves




Correct Installation

An approved competent person of solid fuel installations should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at **www.dovre.co.uk**


Page 18/19 - Vintage 35 Wood Stoves




Page 18/19 - Vintage 50 Wood Stoves




Page 20/21 - Bold 300 Wood Stoves




Page 20/21 - Bold 400 Wood Stoves



Page 22/23 - Rock 350 & 500 Wood Stoves




Page 24/25 - Astroline 3 & 4 Wood Stoves




Dimensions

Page 26/27 - 280 Gas Stoves




⁷ To end of rear flue spigot. Installation instructions with information on balanced flue configurations are available from www.dovre.co.uk


Page 26/27 - 425 Gas Stoves



Page 28/29 - 280 Electric Stoves



Page 28/29 - 425 Electric Stoves



Correct Installation

An approved competent person of solid fuel installations should undertake a site survey prior to purchase and must install any Dovre stove or fireplace. Your Dovre retailer will be able to advise on this. The below information is to assist you in your choice of a suitable Dovre fire or stove. It is not intended to be all the information required to install your fire or stove; this can be obtained from your local Dovre retailer or you can view/download the relevant full installation instructions from the Dovre website at www.dovre.co.uk

Sense and Astroline Heat Shields

Dovre also offer a range of highly effective Heat Shields for the Astroline and Sense stoves. These fantastic additions reduce the distance to combustible materials at the rear and sides of the stoves as shown below.

The Dovre Heat Shields not only maximise the available space within the room, but they also enable you to accommodate a wider range of materials in your interior design. For further information please speak to your local Dovre retailer.

Distances to combustible materials when fitted with Dovre Heat Shield:

STOVE	DISTANCE FROM REAR	DISTANCE FROM SIDES	
Astroline 3	100mm	300mm	
Astroline 4	100mm	400mm	
Sense 103 & 113	100mm	500mm	
Sense 203	100mm	500mm	

Enamelled Flue Pipe

For the fully colour coordinated installation of your stove, and optimum performance, we offer high quality enamel coloured flue pipe. However, please note that due to the different production processes we cannot guarantee a perfect match between pipe and stove. The flue pipe diameters required for each model are demonstrated on the product pages.



	STOVAX MATT BLACK	DOVRE BLACK ENAMEL	IVORY WHITE ENAMEL	PURE WHITE ENAMEL
127mm diameter				
305mm (1') straight without door	4500	DV-F512BLK	DV-4500IV	DV-4500PW
610mm (2') straight without door	4501	DV-F524BLK	DV-4501IV	DV-4501PW
915mm (3') straight without door	4502	DV-F536BLK	DV-4502IV	DV-4502PW
305mm (1') straight with door	4504	DV-FD512BLK	DV-4504IV	DV-4504PW
610mm (2') straight with door	4505	-	DV-4505IV	DV-4505PW
915mm (3') straight with door	4506	DV-FD536BLK	DV-4506IV	DV-4506PW
90° bend without door	-	DV-FE590BLK	-	-
90° tee piece with end cap	4516	-	DV-4516IV	DV-4516PW
135° bend without door	4537	-	DV-4537IV	DV-4537PW
135° bend with door	4512	DV-FED545BLK	-	-
Tee + end cap	4516	-	DV-4516IV	DV-4516PW
125mm – 150mm increaser	4518	-	-	-
152mm diameter				
305mm (1') straight without door	4600	DV-F612BLK	DV-4600IV	DV-4600PW
610mm (2') straight without door	4601	DV-F624BLK	DV-4601IV	DV-4601PW
915mm (3') straight without door	4602	DV-F636BLK	DV-4602IV	DV-4602PW
305mm (1') straight with door	4604	-	DV-4604IV	DV-4604PW
610mm (2') straight with door	4605	-	DV-4605IV	DV-4605PW
915mm (3') straight with door	4606	DV-FD636BLK	DV-4606IV	DV-4606PW
90° bend without door	-	DV-FE690BLK	-	-
90° tee piece with end cap	4616	-	DV-4616IV	DV-4616PW
135° bend without door	4637	-	DV-4637IV	DV-4637PW

Professional XQ[™] Chimney Systems





Stovax (Dovre's distributor in the UK and Republic of Ireland) also offers a comprehensive range of stove and fireplace chimney systems, the Stovax Professional XQTM collection. Crafted from 304L grade stainless steel for a durable outer finish, the fully sealed components offer water tight protection for the insulation within.

With innovative decorative options, the ability to specify a colour for your system and with a host of technical advancements such as their Twist-Lock system, the Professional XQ^{TM} range provides an attractive, versatile and reliable solution for your flue system. Furthermore, the Professional XQ^{TM} range carries a 10 year conditional warranty offering complete peace of mind.

Further Information

Expert Retailer Network

We take great care to ensure that our stoves and fireplaces are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design; and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any after-sales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers

Warranty Information

Your Dovre retailer will provide you with a Five Year Warranty for your new stove castings and a Two Year Warranty on steel parts and gas and electric 'engines' used in stoves and fires. The continuation of the warranty is dependent on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Please note, these warranties exclude certain consumable and naturally wearing parts such as grates, baffles, firebricks and glass. Full details are on our website at www.dovre.co.uk





Photography and Installation

Please note that, due to studio lighting and the limitations of the printing process, colour reproduction of enamel finishes may vary from actual product. Please consult your Dovre retailer for more accurate colours.

All of the flame pictures shown in this brochure are taken from real fires. Please note however that flame pictures will vary depending on the exact fuel used, flue conditions and surrounding geographical features. Given that building regulations are subject to constant change, some of the photography in this brochure may not comply with the requirements of the latest Building Regulations and you should always check your proposed installation arrangement with an approved competent person of solid fuel installations before proceeding. Certain settings in this brochure are dependant on the use of heat shields to reduce the required separation from combustible material. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

Please note: The operation and appearance of gas appliances depends on variable factors such as the gas pressure supplied.

Product Improvement and Safety Information

Dovre reserves the right to amend any specifications herein or to make any product design changes.

Please note that all parts of these stoves and fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all installations also require a Carbon Monoxide Monitor be supplied and fitted.



...and you'll get a free Fire Starter Kit

Once you have registered your product*, you will also receive a free Fire Starter Kit from Certainly Wood to help you get started with your new Dovre stove. Inside you will find high quality, Woodsure "Ready to Burn" logs, kindling, Flamers (natural firelighters) and a handy good firewood guide so you can get the best out of your Dovre stove along with a £20 money-off voucher for your first Certainly Wood fuel order.



Visit our partner online at certainlywood.co.uk for certified Woodsure Ready to Burn firewood.

*Mainland UK registrations only

the cost of your product back!*

For further home inspiration you can view real life installations on the Stovax Customer Showcase page (Dovre's distributor in the UK and Republic of Ireland), and share your thoughts and photos of your new stove or fire installation to enter our draw!

- · We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back
- Gain a second entry by registering your product online for your free extended warranty at stovax.com/registration

View real life installations and submit your review at

stovax.com/customershowcase



"Amazing, beats all

our expectations"







United Kingdom & Republic of Ireland distributors for Dovre:

Stovax Limited, Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

Trade Sales Tel: 01392 474000 / NI: 01392 261990
Email: dovre@stovax.com / NI: northernireland@stovax.com

Export Sales Tel: +44 1392 261990 • Email: exportsales@stovax.com

www.dovre.co.uk

To view the complete range of brochures within the Stovax group, simply scan this code or visit **www.stovax.com**



Paper sourced from sustainable forests and printed using vegetable based inks



Find your retailer

Find your nearest expert retailer by visiting: www.dovre.co.uk/find-a-retailer



Your local Dovre retailer:



DOVRE1021

